

	Subsies	Caust.	Caps.	Bib.
2049	Modalities - From Situation & Circumstance - Movement (moving, motion) - continued, amel.	2	4	2
370	General - Generals - Falling - tendency to (falling easily)	3	1	1
2147	Modalities - From Situation & Circumstance - Sitting - whilst sitting - amel.	1	1	1
2022	Modalities - From Situation & Circumstance - Lying (resting in recumbent posture), whilst (cf. amel. Movement) - amel. (cf. eppr. Movement)	2	1	1
1025	General - Generals - Movements - difficult - staggering (gait) when walking (ataxia)	2	2	1
2044	Modalities - From Situation & Circumstance - Movement (moving, motion) - beginning, on (of rising)	3	4	1
1015	General - Generals - Mobility - loss of (immobility), of suffering parts	3	1	3
030	General - Sleep - Sleeplessness (insomnia) - in general	3	1	1

La scelta cade su CAUSTICUM 1LM, una goccia la sera.

Inizia la terapia il 9 luglio.

In data 22 luglio ricevo una sua telefonata, in cui mi informa che sta recuperando un minimo di autonomia; consiglio di passare a CAUSTICUM 3LM, una goccia al giorno. A distanza di qualche settimana mi comunica che in casa ha smesso di gattonare e lì non utilizza più il deambulatore; consiglio di passare a CAUSTICUM 9LM.

Non ho più sue notizie fino a settembre, quando si presenta – entusiasta e contento del risultato ottenuto - con la speranza di un ulteriore miglioramento.

Sta meglio sia dal punto di vista fisico che mentale.

Confermo CAUSTICUM aumentando la diluizione a 12LM.

In casa cammina senza appoggiarsi. Continua, invece, ad utilizzare il deambulatore fuori casa. Con quella “Ferrari”- come lui chiama il suo deambulatore - afferma di percorrere circa 50-60 chilometri a settimana. Torna ad avere lo spirito dello sportivo e dichiara di aver ritrovato il suo equilibrio di un tempo.

MATERIA MEDICA PURA DI HAHNEMANN

1369 Unsteadiness of the limbs, as in drunkenness; he staggers to and fro, and it seems to him that he reels even more than is actually the case; but without vertigo. [Frz]

1370. Languid, broken down and as if bruised all over the body, especially in the evening, as if a severe illness were impending over him. [Ng]

1371 Sensation in all the limbs, as after a great effort, on rising from his seat. [H]

1374 Very weakly, and at once exhausted by a little work. [H]

1375 After a short walk, weariness, so that he could not drag his legs along. [Rml]

1376 Weakness in all the limbs, so that he could hardly walk, and had to leave his hands stretched out, while sitting. [Hbg]

1377 Faint-like sinking of strength [Ohnmachtartiges Sinken der Kräfte]

1379 Paralytic weakness [Lähmige Schwäche] of the limbs (aft. 3h). [H]

1 Sensation in all the limbs, as after a great effort, on rising from his seat. [H]

2 Lassitude, with perspiration on walking (aft. 48h). [H]

3 Lassitude with anxiety. [H]

4 Very weakly, and at once exhausted by a little work. [H]

5 After a short walk, weariness, so that he could not drag his legs along. [Rml]

6 Weakness in all the limbs, so that he could hardly walk, and had to leave his hands stretched out, while sitting.

[Hbg]

7 Faint-like sinking of strength [Ohnmachtartiges Sinken der Kräfte]

8 Fainting fit, after lying down in bed (aft. 12h). [H]

9 Paralytic weakness [Lähmige Schwäche] of the limbs (aft. 3h). [H]

1380. Attack of twitching of the limbs, in the evening. [H]

UN CASO DI CISTITE

Marco Colla

Medico Chirurgo – Omeopata BIELLA

colla.marco@gmail.com

Giovanni, 49 anni.

A luglio 2020 il paziente, mentre si trovava all'estero, lamenta all'improvviso sintomi tipici della cistite, con urgenza minzionale e bruciore alla minzione.

Contattato un medico del posto, esegue un esame delle urine con urinocoltura e antibiogramma, esame da cui emerge un'infezione delle vie urinarie da Escherichia coli ((10³ UFC/mL) che, seguendo le indicazioni dell'antibiogramma, viene trattata con amoxicillina e ac. clavulanico – 1 gr. x 2/die per 7 giorni - con conseguente guarigione clinica.

In data 1 agosto 2020 il paziente presenta una recidiva dei sintomi.

All'esame colturale emerge nuovamente il batterio Escherichia coli, che questa volta viene trattato con Ciproxin

500 x 2/die per 7 giorni. Il paziente non ottiene alcun beneficio dalla cura; i sintomi iniziali persistono e l'esame delle urine rivela la permanenza del batterio.

Il paziente decide di provare un approccio diverso.

Viene in visita il 2 agosto 2020.

Lamenta formicolio all'interno dell'uretra alla fine della minzione, con urine torbide. Un fastidio tipo contusione ai testicoli - specialmente al sinistro - un dolore all'inguine, urgenza minzionale e dolore lombare non meglio precisato.

La diagnosi del paziente, e non solo della malattia, in questo caso viene eseguita grazie a sintomi accessori che sono comparsi con i disturbi urinari: l'umore è mutato fin dall'inizio, con indifferenza anche per gli affetti più cari, il sonno è disturbato (sebbene di notte debba alzarsi solo una volta per urinare) con ricomparsa di sonnambulismo presente nell'infanzia.

RUBRICHE REPERTORIALI

1. 1073 - General - Generals - Sensibility altered (paræsthesiæ) - crawling (non-migratory, tickling) - inner parts (itching, tickling, etc.)
2. 445 - Systemic - Urinary - Viscera (organs) - Urethra
3. 925 - General - Generals - Bruised (contused) pain, (localised, not widespread) - inner parts (beaten)
4. 453 - Systemic - Urinary - Urination (micturition) - Urging to urinate - in general
5. 448 - Systemic - Urinary - Urination (micturition) - Frequent (frequency)
6. 2214 - Modalities - From Situation & Circumstance - Urination (micturition) - close, of (end of), at the
7. 474 - Systemic - Urinary - Urination (micturition) - Urine - Odour - ammoniacal
8. 791 - General - Mind - Disposition - Indifference
9. 2176 - Modalities - From Situation & Circumstance - Stool (evacuation) - after
10. 459 - Systemic - Urinary - Urination (micturition) - Urine - Cloudy (turbid)

La scelta verte su PHOSPHORUS FLAVUS (come confermato dai sintomi nella Materia Medica Pura di Hahnemann – vedi sotto): prescribo ph PHOSPHORUS FLAVUS 3LM gocce, una goccia al giorno.

Il paziente mi contatta il giorno dopo l'inizio della cura, dicendo che quella notte aveva avuto un incubo angosciante e vivido, nel quale la sua casa andava a fuoco e veniva distrutta completamente, il ricordo era rimasto per un paio di giorni, provocando intensa ansia ed un importante aggravamento dei sintomi urinari. Questo era l'incubo che lo tormentava da bambino, ed era scomparso dopo una lunga serie di sedute da una psicologa dell'infanzia.

Riesco a convincerlo a non iniziare nuovamente la cura antibiotica, anche perché l'urina è limpida. Il giorno successivo il paziente appare più sereno, è contento di non aver iniziato la cura antibiotica perché l'aggravamento iniziale si è ridimensionato in breve tempo, anche se i sintomi permangono leggermente più accentuati.

Mi contatta dopo una settimana, dicendo che i suoi disturbi urinari sono notevolmente migliorati e permane solo un leggero fastidio. Il sonno è decisamente cambiato in meglio: non ha più avuto l'incubo giovanile e non ha più avuto episodi di sonnambulismo.

La settimana successiva i disturbi urinari sono passati completamente; il paziente ha ripetuto l'esame completo delle urine con urinocoltura negativa. Riferisce che l'umore sta subendo un cambiamento profondo, in quanto stanno tornando alla memoria storie irrisolte del passato e le sta rielaborando in senso critico con una maturità che, dice, non conosceva.

Consiglio di passare a PHOSPHORUS FLAVUS 6LM.

I sintomi urinari non si sono più presentati; continua con una intensa attività onirica senza incubi, ma con una rielaborazione critica del passato; riferisce inoltre di essersi accorto di un'ansia di cui non si mai era reso conto e dalla quale riesce progressivamente a staccarsi.

Insomma, il cammino di guarigione, iniziato da una cistite che si stava cronicizzando sta proseguendo ed il paziente sta continuando la cura omeopatica.

	Rubrics	Phos.	Sulf.	Puls.
1073	General - Generals - Sensibility altered (paræsthesiæ) - crawling (non-migratory, tickling) - inner parts (itching, tickling, etc.)	4	3	3
445	Systemic - Urinary - Viscera (organs) - Urethra	4	3	3
925	General - Generals - Bruised (contused) pain, (localised, not widespread) - inner parts (beaten)	2	2	4
453	Systemic - Urinary - Urination (micturition) - Urging to urinate - in general	3	4	4
448	Systemic - Urinary - Urination (micturition) - Frequent (frequency)	2	2	1
2214	Modalities - From Situation & Circumstance - Urination (micturition) - close, of (end of), at the	1	2	-
474	Systemic - Urinary - Urination (micturition) - Urine - Odour - ammoniacal	3	-	-
791	General - Mind - Disposition - Indifference	4	2	4
2176	Modalities - From Situation & Circumstance - Stool (evacuation) - after	4	3	2
459	Systemic - Urinary - Urination (micturition) - Urine - Cloudy (turbid)	3	1	3

MATERIA MEDICA PURA DI HAHNEMANN
PHOSPHORUS FLAVUS

- 1014 More frequent discharge of urine [Ng]
 1016 Constant urging to urinate, while standing, but only a few drops are discharged at a time; this goes off when sitting [Ng]
 1017 Frequent micturition, but only a little at a time (aft. 40h). [Stf]
 101r8 Much discharge of urine. [L32]
 1020. Increase of the urine (1st d). [Ng]
 1021 Increased and more frequent micturition (2nd d). [Ng]
 1022 Quick urging to urinate, this could hardly be retained, in the morning (aft. 3w). [Htb]
 1023 Urging to urinate, more while sitting, than while walking. [H]
 1024 Urging to urinate, by day (aft. 3d). [H]
 1025 Much micturition, while out driving (aft. several h). [H]
 1026 Violent urging to urinate, without thirst; he could not keep back the urine, it was discharged against his will. [H]
 1027 Frequent micturition, also by night (the first 4d). [H]
 1034 The urine emits a strong smell of ammonia, becomes turbid and deposits a whitish-yellow sediment (aft. 6d). [H]
 1051 Stitching in the urethra and in, the anus. [H]
 1052 Disagreeable sensation anteriorly in the urethra. [H]
 1053 After micturition, a stitching pain anteriorly in the penis. [H]
 1056 Burning in the urethra, with tenesmus, in the evening. [H]
 1057 When finishing to urinate and after it, a smarting pain in the glans (aft. 32h). [Stf]
 1059 Burning in the urethra. [Bds]
 1060. Quick drawing, to and fro, in the urethra, extending to the bladder with the sensation of contraction (aft. 10d). [H]
- 1 Great dejection (aft. 5d). [H]
 2 Troubled, reserved, meditative. [Ng]
 3 Not disposed to anything, indolent, sullen. [Ng]
 4 Sad and dejected for a long time. [Ng]
 5 Sad and melancholy, as if some accident had happened to his beloved ones (aft. 14d). [Ng]
 6 Disconsolate sorrowfulness, with weeping and crying, in the morning (aft. 5d). [H]
 7 Sad and discouraged, but not so as to weep. [Stf]
 8 Sad and dejected. [Stf]
 9 Troubled mood, dejection. [H]
 10. Sadness in the twilight [Dämmerung], for several eve-

- nings, successively at the same hour. [H]
 1 Melancholy. [H]
 2 The world seemed dreadful to him; only weeping could relieve him, soon afterward total apathy and indifference. [H]
 3 Melancholy of spirit and violent weeping, toward morning, on awaking from a saddening dream; he could not restrain nor calm his weeping and lamented yet for a quarter of an hour. [Htb] HTRA4
 4 Troubled mood and very susceptible to emotions especially with respect to apprehensiveness (through the whole period). [Htb]
 5 Sad, apprehensive, pusillanimous. [Ng]
 6 Anxiety [Angst]. [L18]
 7 Apprehension, as if she was grieved about something, frequently recurring. [Ng]
 8 Anxiety and heat in the head, with hot, red hands, frequently recurring and seemingly alleviated while standing. [Ng]
 9 Anxious sensation of oppression. [H]
 20. Anguish at times in the evening, as if about to die (the first d). [H]
 1 Apprehensiveness, like the foreboding of misfortune. [H]
 2 Many anxieties, in the evening (aft. 8d). [H]
 3 Anxiously solicitous, about the unfortunate issue of her disease. [H]
 4 Anguish and internal restlessness, without any imaginable reason. [H]
 5 Anxiety and restlessness, with much sweat on the forehead and heat in the head. [H]
 6 Restlessness in the head, in the forenoon. [Ng]
 7 Restlessness. [L18]
 8 Restlessness during thunder-storms. [H]
 9 Great restlessness (aft. 2d). [H]
 30. Fearfulness and horror, in the evening. [H]
 1 Dreadful fearfulness, late in the evening, as if a horrid face was looking out of every corner. [H]
 2 Great anxiety and irritability [Reizbarkeit] on being alone. [H]
 3 Attacks of anxiety, seemingly below the left breast, which so torments her, that she trembles all over her body, attended with occasional bitter eructations and palpitation. [H]
 4 Surfeit of life. [H]
 5 All the senses are excessively sensitive, especially those on hearing and smell. [H]
 6 Very easily startled. [H]
 7 Displeased and irresolute. [H]
 8 Ill-humoured. [H]

- 9 In very ill humour, while in the best of health. [H]
 40. Indisposed to everything. [Ng]
 1 Depressed mood. [Bds]
 2 Ill-humour and vexation. [Ng]
 3 Depressed on account of his health. [H]
 4 Sullen, every object, especially men and noise, are very distasteful to him. [H]
 5 Sullen and lazy. [H]
 6 Extremely discontented. [H]
 7 Irritable and peevish. [H]
 8 Very easily irritated to vexation. [H]
 9 Very peevish in the forenoon. [H]
 50. Very peevish and cannot forget an annoyance. [H]
 1 Great annoyance, before, dinner, at the least trifle, then sensation of heat, followed by pressure in the stomach; then nausea with much heat in the face, and an entire loss of appetite. [H]
 2 Great annoyance at the least provocation, with cold hands) heat in the face and palpitation. [H]
 3 More peevish than ever before. [H]
 4 Vexed at every trifle, so that he is beside himself. [H]
 5 She would get vexed very readily. [H]
 6 Capricious [Grillig], sensitive. [Stf]
 7 Great irritation of spirit [Grosse Gereiztheit des Gemüthes]. [H]
 8 Hypochondriac. [H]

rito migliora, ma rimane un gran bruciore. Peggiora al mattino quando si alza e lavandosi.

Un episodio simile le era successo 5 anni fa ed un collega omeopata, ora in pensione, aveva guarito la paziente con Arsenicum album.

All'anamnesi: nell'infanzia impetigine, poi sempre buona salute.

Da qualche anno soffre di allergia al polline, per cui prende antistaminici.

L'appetito è buono. (74Kg x 175 cm di altezza)

Ha avversione ai frutti di mare ed al grasso.

Preferisce acqua fredda dal frigo.

Al mattino si sveglia sempre arrabbiata e con poca energia; vorrebbe dormire fino a tardi.

E' molto freddolosa. La sudorazione è scarsa. Sta bene al caldo, ma non le piace il sole.

Le piace stare all'aria aperta.

Le piacciono le scalate in montagna.

Ama gli animali, ha 2 cani.

Si definisce irascibile, impaziente, asociale; non le piace la gente.

Introversa, sta bene da sola, vuole il silenzio. E' andata a vivere in un paesino di 30 persone.

Ama i lavori manuali, le ceramiche ... A scuola ha sempre avuto problemi a causa di dislessia, discalculia e difficoltà di concentrazione. Per questo ha frequentato il liceo artistico.

UN CASO DI ECZEMA

Maria Fazio

Medico Chirurgo – Omeopata TORINO

fazio.to@gmail.com

S.I.

Donna di 28 anni.

In data 7 luglio 2020 la paziente mi consulta per la comparsa, da alcuni giorni, di un eczema a livello della parte laterale di piedi, poi sul dorso delle mani, quindi ascelle, fianchi, gomiti, parte mediale delle braccia. Si manifesta sotto forma di "pustoline" molto pruriginose, che spingono la paziente a grattarsi fino a sanguinare. Dopo, il pru-

REPERTORIZZAZIONE

SKIN - ERUPTIONS - pustules

EXTREMITIES - ERUPTIONS - Foot

EXTREMITIES - ERUPTIONS - Hand - back of hand

EXTREMITIES - ERUPTIONS - Ankle

EXTREMITIES - ERUPTIONS - Hand

EXTREMITIES - ERUPTIONS - Elbow

EXTREMITIES - ERUPTIONS - Elbow - bend of

	mer.	gio.	ven.	sab.	dom.	lun.	mar.	mer.	gio.	ven.	sab.	dom.	lun.	mar.	mer.	gio.	ven.	sab.	dom.												
1. Cartella appunti 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
1. SKIN - ERUPTIONS - pustules (143) 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
2. EXTREMITIES - ERUPTIONS - Hand - back of hand (30) 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
3. EXTREMITIES - ERUPTIONS - Foot (47) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
4. EXTREMITIES - ERUPTIONS - Ankle (21) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
5. EXTREMITIES - ERUPTIONS - Hand (90) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
6. EXTREMITIES - ERUPTIONS - Elbow (36) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
7. EXTREMITIES - ERUPTIONS - Elbow - bend of (17) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
8. SKIN - ITCHING - bleeding - scratching, after (33) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
9. SKIN - ITCHING - scratch, must - until it is raw (43) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
10. CHEST - ERUPTIONS - axilla (20) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
11. GENERALITIES - FOOD and drinks - cold - drinks, water - desires (152) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
12. GENERALITIES - FOOD and drinks - fats and rich food - aversion (66) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
13. GENERALITIES - HEAT - vital, lack of (218) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
14. MIND - COMPANY - aversion to, agg. - alone - amel. when (46) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
15. MIND - MISTAKES - makes - reading (16) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
16. SKIN - ERUPTIONS - impetigo (58) 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	